

DATA SHEET


“SASA” INTELLIGENT ETHANOL FIREPLACE



1

1. Models & dimensions
2. Colors
3. Technical data
4. Operating procedure

1. Models & dimensions



SASA M


Dimensions: W/H/D 64/58/27,5 cm – 25,2/22,8/10,8 in
 Output: 2 700 W (9 000 BTU)
 Capacity of the tank: 2,25 L (0,6 Gal)
 Consumption: 0,4 liter/hour (0,11 Gal/hour)
 Weight: 30 kg (66 Lbs.)

DATA SHEET

“SASA” INTELLIGENT ETHANOL FIREPLACE




SASA L



Dimensions: W/H/D 110/52/27,5 cm – 43,3/20,5/10,8 in
 Output: 3 750 W (13 000 BTU)
 Capacity of the tank: 4 L (1,06 Gal)
 Consumption: 0,60 liter/hour (0,16 Gal/hour)
 Weight: 39 kg (86 Lbs.)




SASA XL



Dimensions: W/H/D 145/61,5/27,5 cm – 57,1/24,2/10,8 in
 Output: 6 200 W (21 000 BTU)
 Capacity of the tank: 5 L (1,32 Gal)
 Consumption: 1 liter/hour (0,26 Gal/hour)
 Weight: 55 kg (121 Lbs.)

2. Colors


Satin Black



Satin White



Corten Effect



3. Technical Data



Controls

Remote control, On/off button

Dry contact for home automation applications & remote control via Smartphone or remote commands



Ignition - Power

Automatic and secured ignition through low-voltage electronic induction electrodes
Feed pumps with high-tech membranes



Security

Electronic sensors that automatically halt the unit in case of malfunction
(CO², heat, levels, tank gauge, etc.)




Standards

All AFIRE devices comply with the following safety standards:
CE (Europe), FCC (USA), IC (Canada)

4. Operating Procedure

A. Wall-mounting

Screw the supplied plate solidly to the wall. Hang on the fireplace on the wall



B. Power supply

Connect the provided 12V adapter



C. Tank filling

Only use denatured ethanol 95 – 97%.

Press on the button **2**

The door is unlocked, open the door, remove the cap and fill the tank with a funnel.

When the tank is full, a beep warns you and a message is displayed on the LCD screen.

Put the cap back on and close the door of the tank.

After a few seconds the door will be automatically locked.




Never fill the burner directly, fill the ethanol tank

1. Press on the remote control, the on/off switch **(1)** or the remote button to ignite or switch off the burner



on/off switch



tank opening **2** **1** on/off switch



dry contact for home automation

DATA SHEET "SASA" INTELLIGENT ETHANOL FIREPLACE




DATA SHEET

“SASA” INTELLIGENT ETHANOL FIREPLACE


SASA BACK SIDE

SASA M



6

SASA L



SASA XL

